Advances in Consumer Research
https://acr-journal.com/
Volume-3 | Issue-11 |Sep: 2026

Original Researcher Article

AI-Assisted Strategic Workforce Planning for Sustainable Organizational Growth

DrPVenkateswara Rao[1], Dr. Priyanka B. Shingade[2], DepakTomar[3], RashmiGautam[4], ShardenduBhushan Sinha[5], MrAshutosh Kumar[6]

[1]Assistant Professor Department of MBA CMR Technical Campus KandalakoyaMedchal 591401

Email ID:-drpvraomba@gmail.com

[2]Assistant professor Department of School of computation sciences JSPM University Pune Gat no. 720, Bakori road Wagholi, 412207

Email ID:-shingadepb15@gmail.com

[3]Assistant Professor Raj Kumar Goel Institute of Technology, Ghaziabad Hapur,245101 U.P,India

Email ID:-deepaktomar.jms@gmail.com

[4]Assistant Professor Raj Kumar Goel Institute of Technology, Ghaziabad Hapur,245101,U.P, India.

Email ID:-rashmiigg2507@gmail.com

[5]Assistant Professor Department of MBA I.T.S. Engineering College, Greater Noida Plot No. 46, Knowledge Park - Greater Noida, Uttar Pradesh, India, Pincode- 201310

Email ID:-sinha.shardendu@gmail.com

[6]Department of Information and Communication Technology SASTRA Deemed University Trichy-Tanjore Road, Thirumalaisamudram, Thanjavur, Tamil Nadu, India- 613401

Email ID:-kr.ashutosh211@gmail.com

ABSTRACT

Today, companies need to plan for skills need, risks to employees and the gaps in skills and capabilities, and achieve productivity and long-term growth while doing so.Strategic workforce planning is becoming more important for companies to consider and know what skills they might need, what risks may be facing their employees and what skills might be missing. In this study, an AI-based Workforce Planning framework using Extreme Gradient Boosting (XGBoost) with Python and Jupyter Notebook is proposed. The framework combines employee, skill, performance, engagement, training, workload, productivity and workforce-demand indicators to categorize employee profiles for strategic workforce interventions. A reproducible analytical workflow is integrated and includes data pre-processing, train-test partitioning, model training and performance evaluation. An illustrative synthetic data set of 6,000 workforce records is used to demonstrate the proposed method without misrepresenting the information that is available for organizations. The model XGBoost was able to reach an accuracy of 81.8% and a ROC-AUC of 0.898, demonstrating discrimination between stable and intervention required profiles. Skill gaps, role criticality, workforce demand, engagement and workload were found to be key influencing factors through feature-importance analysis. The framework enables evidence-based decision making for the sustainable growth of organisations related to reskilling, retention, recruitment and deployment.

Keywords:-Artificial Intelligence, Strategic Workforce Planning, XGBoost, People Analytics, Workforce Sustainability, Organizational Growth are the key aspects of the course

INTRODUCTION

Organizations exist in a world of technology and rapidly changing skills, fluctuating labor markets, and a need to grow without an unsustainable labor footprint. History, managerial judgment, and periodic reporting are traditional approaches for workforce planning that rely on ratios of past staff levels. While these practices are still valid, they can react slowly to any nonlinear relationships between employee skill, engagement, performance, load, retention risk and future business need. AI is a chance to change workforce planning from an descriptive exercise to a predictive decision making exercise to uncover emerging talent risks which are not yet constraints.

SWP aligns business goals to the human resources needed to deliver the organization's strategy, in terms of quantity, quality, location and capability[1-10]. It's not just about predicting what tasks need to be done in the future, but also knowing what skills are missing, how impactful the critical roles are, what skills need to be developed, what skills are holding them back from being more productive, and what opportunities exist for people to move within their existing organization. Workforce sustainability additionally demands that decisions optimize organizational performance, while developing workforce

capabilities and minimizing workforce turnover, fragility, and misuse of data. As such, an AI-powered solution must be accurate but also easily comprehensible to HR professionals and managers to enable them to both accept and argue with recommendations.

This study aims to present a framework for strategic workforce planning with the help of artificial intelligence, using XGBoost. XGBoost is chosen due to its ability to perform well on tabular structured data, being able to model nonlinear interactions, and to be able to handle different predictors that are heterogeneous. Also, it provides feature-importance information that helps a manager understand the data[11-17]. Developed in Python in a single reproducible analytical environment (Jupyter Notebook). To help predict if strategic interventions are needed, workforce attributes are measured from skills, performance, engagement, training, workload, productivity, compensation position, mobility, role criticality, absence, and demand. This level of risk is then converted to the following actions that may be considered: reskill, retain, recruit, redeploy. The study thus seeks to show how one machine learning technique can help effectively support integrated, data informed workforce decisions that can align with sustainable organizational growth in varying organizational and labour-market environments.

2. RELATED WORK

The study of workforce analytics has been moving towards predictive and prescriptive decision support from descriptive reporting. McIver et al. (2018) suggested that the scientific rigor of the analysis should inform agile organizational action and that there should be a focus on the process of preparing data for analysis, the use of multiple analytical approaches, and linking analysis insights to business outcomes. Tambe, Cappelli and Yakubovich (2019) went on to discuss the use of AI in HRM and outline some significant issues, such as limited organizational data, employees' reactions to algorithmic decisions, fairness, legal accountability, and small organisational datasets. These issues set the framework for the need of transparency in AI and the significance of managing with human touch as shown in table 1.

Study	Method	Key contribution	Limitation addressed
McIver et al. (2018)	Conceptual workforce analytics framework	Links scientific analysis, agile execution, and business outcomes.	Limited predictive validation and AI-based forecasting.
Tambe et al. (2019)	Conceptual analysis of AI in HRM	Identifies data, fairness, accountability, and employee-reaction challenges.	Calls for responsible, human-centered empirical implementations.
Pessach et al. (2020)	Machine learning and optimization	Demonstrates predictive and prescriptive HR decision support for recruitment.	Focuses mainly on hiring and placement rather than integrated workforce readiness.
Vrontis et al. (2021)	Systematic review	Maps AI effects on recruitment, training, performance, learning, and collaboration.	Limited longitudinal evidence of organization-wide outcomes.
McCartney & Fu (2022)	SEM using 155 organizations	Links HR technology, analytics, evidence-based management, and performance.	Cross-sectional design and limited geographic generalizability.
Bossi et al. (2022)	SEM, Lasso, Bagging k-NN	Shows predictive analytics can support internal mobility decisions.	Small/single-organization sample and moderate predictive performance.
Coolen et al. (2023)	Systematic literature review	Highlights data quality, capability, stakeholder participation, and institutionalization.	Needs more longitudinal and implementation-focused evidence.
Yoon et al. (2024)	Bibliometrics and scoping review	Emphasizes workforce planning, data-informed decisions, development, and ethics.	Research landscape evidence rather than operational predictive validation.
Venugopala et al. (2024)	PRISMA review and BERTopic	Connects AI with workforce planning, recruitment, retention, and performance.	Requires organization-level testing of integrated planning frameworks.

Machine-learning applications also have proven themselves to be useful in certain HR roles. To enhance recruitment and placement decisions, Pessach et al. (2020) used a machine learning approach with mathematical optimization techniques to analyze large-scale employee records. A systematic review conducted by Vrontis et al., 2021, identified five key areas in which AI and other advanced technologies impact recruitment, training, performance, learning, and decision making, as well as human-AI collaboration. McCartney and Fu (2022) empirically confirmed that HR technology can help HR analytics and evidence-based management, which can help in the organizational performance. In how far can predictive HR analytics be done when the sample size is limited, as it is demonstrated by Bossi et al. (2022) who compare a statistical model with a machine-learning model for internal mobility.Coolen et al. (2023) argued that data quality, analytical skills, stakeholder involvement and institutionalisation are key for successful workforce analytics. Yoon, Han and Chae (2024) identified capabilities of workforce planning, data-informed decision making, employee development, and ethical implications as important themes in People Analytics. Venugopala et al. (2024) also associated AI in the recruitment, retention, performance management and workforce planning of employees. There is a large body of research, however, that has focused on the adoption of HR-related concepts or on stand-alone uses of HR[17-33]. The present study attempts to fill this gap by using a single interpretable XGBoost workflow to integrate workforce indicators and association of the predicted workforce intervention needs with sustainable strategic actions throughout time and contexts.

3. RESEARCH METHODOLOGY

The proposed research uses the design of quantitative predictive analytics, and Extreme Gradient Boosting (XGBoost) is used. The goal is to identify the workforce profiles in two strategic states: No immediate intervention is needed; Strategic workforce intervention is needed. Intervention required case is a profile that shows that there is a meaningful level of risk for the workforce to be unready to perform given the combination of skills, demand, engagement, workload, productivity,
performance and associated workforce factors. Due to the fact that strategic workforce data is often tabular and variables are distributed differently, and that it has nonlinear interactions, the single modeling method, XGBoost, was chosen. These relationships can be preserved in the model, the feature-importance scores can be used to interpret the drivers of the prediction, and the model can be used to predict. The single development environment is Python executed within a Jupyter Notebook to ensure data preparation, training, evaluation, visualization and reproducibility are done in a single workflow.

3.1 Research Design

The research design that is used in this study is quantitative and predictive that uses Extreme Gradient Boosting (XGBoost). The goal is to group workforce profiles into two strategic workforce groups: one group – no immediate intervention required, and one group – strategic workforce intervention required. An intervention required profile is a case of workforce where the skill, demand, engagement, workload, productivity, performance and related indicators are combined to indicate a meaningful risk of workforce readiness. Some of the reasons for selecting XGBoost as the single predictive technique is that workforce data is typically tabular, with variables having different distributions, and could also have nonlinear relationships and complex interactions.

3.2 Development Environment

The main development environment is the python language using Jupyter Notebook. This offers a single environment for preparing data, training models, evaluating models, visualizing models and reproducing models. Having a single analytical environment can also aid the ability to capture and replicate the entire predictive process without deviation.

3.3 Data Sources and Variables

The analytical data is organized according to variables that are typically found in human resource information systems, learning-management systems, performance records and workforce-planning databases. Predictor variables consist of such things as age, tenure, performance rating, engagement score, training hours, skill-gap index, workload index, productivity index, compensation position, internal mobility, role criticality, workforce-demand index, and absence days. The dependent variable was strategic intervention requirement (binary).



Figure 1. Proposed AI-assisted strategic workforce-planning workflow

this represents a real-life organization, the target variable should be based on existing, scientifically validated, workforce outcomes or expert-based planning decisions. There should be no use of protected demographic characteristics to decide on intervention requirements. Responsible data governance and privacy should also be ensured by removing personally identifiable information as shown in figure 1.

3.4 Synthetic Dataset

Since there is no available dataset specific to the organization for the present research, a synthetic dataset

(reproducible) with 6000 workforce records is used in the empirical demonstration. Synthetic data are created to simulate realistic ranges of workforce, relationships and interactions. The synthetic dataset is provided for illustrative purposes to show technical feasibility of the predictive workflow and not as evidence of a real organisation as shown in table 2.

Table 2.Workforce variables used in the synthetic demonstration

Variable	Operational definition	Planning relevance
Age	Employee age in years	Contextual workforce profile
TenureYears	Years in organization	Retention and experience context
PerformanceRating	Rating from 1 to 5	Current performance signal
EngagementScore	Employee engagement index	Retention and employee-experience signal
TrainingHours	Annual training hours	Development investment
SkillGapIndex	0-100 capability-gap index	Future skills readiness
WorkloadIndex	0-100 workload intensity	Capacity and sustainability pressure
ProductivityIndex	0-100 productivity measure	Operational contribution
CompensationPosition	Pay relative to reference level	Retention context
InternalMobility	Recent mobility indicator	Deployment flexibility
RoleCriticality	Criticality score from 1 to 5	Succession and continuity risk
WorkforceDemandIndex	0-100 future demand measure	Strategic demand pressure
AbsenceDays	Annual absence count	Workforce availability signal
InterventionRequired	Binary target: 0 or 1	Strategic workforce-planning outcome

3.5 Data Preparation

Prior to models the data set is checked for missing data, duplicate records, invalid ranges, and inconsistent data types. Appropriate adjustments are made prior to analysis. The cleaned data set is then split into an 80:20 train vs test set with the same proportion of intervention cases. Thus 4,800 records are utilized for training and 1,200 records are kept for independent testing.

3.6 XGBoost Model Configuration

The XGBoost classifier has 260 boosting trees, max depth of 4, learning rate of 0.045, subsampling of 0.85, column sampling of 0.85, minimum child weight of 3, L2 regularization of 1.2 and L1 regularization of 0.05. The binary logistic objective produces the likelihood of strategic intervention being needed for a workforce profile. The cut-off point for the classification of "intervention" and "non-intervention" is set at 0.50 as shown in table 3

Table 3. XGBoost configuration used in the demonstration

Parameter	Value
Training records	4,800
Test records	1,200
Number of trees	260
Maximum depth	4
Learning rate	0.045
Subsample	0.85
Column sample by tree	0.85
Minimum child weight	3
L2 regularization	1.2
L1 regularization	0.05
Objective	Binary logistic
Classification threshold	0.50
Random seed	42

3.7 Model Evaluation

The independent test set is used to evaluate the model performance. Measurement of the accuracy, precision, recall, F1 and ROC-AUC are the primary measures used for evaluation. The accuracy is based on overall classification accuracy and precision is based on the reliability of intervention predictions. The precision of the model in identifying actual intervention cases is measured by Recall and the F1-score is a balance of precision and recall. ROC-AUC is an overall assessment of how well the model can discriminate between the two states of the workforce.

3.8 Model Interpretability

Interpretability is added by using XGBoost feature-importance analysis. The feature importance scores reflect the importance of workforce variables when predicting. But in the case of high importance, it is understood as a predictive correlation and not as a cause and effect relationship. The difference matter a great deal when it comes to interpreting the analytical output and drawing management decisions.

3.9 Strategic Workforce Intervention

Strategic workforce planning indicators are decision-support indicators predicted probabilities. If, for instance, there are high skill-gap and workforce-demand indicators, reskilling or review of recruitment could be recommended, and if high engagement and workload risk indicators, interventions to improve retention or job design may be recommended. Role criticality indicators can also be used for succession planning and/or for internal mobility decisions.

3.10 Ethical Considerations and Human Oversight

The predictive model is meant as a tool to complement the manager's business decision-making process. Authorized human review, fairness evaluation, budget and organizational context remain as final factors that might be taken into consideration when deciding on workforce actions. Workforce data should be accessible to users depending on their role and automation of employment decisions should not be based on model predictions.

3.11 Future Organizational Validation

For a full organizational study the synthetic set of workers should be substituted with multi-period actual numbers of workers in the organization. It is then necessary to validate the results temporally to assess the stability of the predictions over time. The impact of AI-supported workforce planning on the organization can then be measured by workforce readiness, retention, productivity, critical role coverage, costs in the workforce, and organization resilience. This approach then establishes a repeatable and actionable framework to assess the value of predictive analytics for sustainable workforce, and organizational growth.

4. RESULTS AND DISCUSSION

The synthetic demonstration resulted in a balanced analytical problem as 49.8% of the 6,000 workforce records generated were intervention required cases. Following the stratified split there were 1,200 observations in the independent test set as shown in table 4.

Table 4.XGBoost performance on the 1,200-record synthetic test set

Metric	Value
Accuracy	0.818
Precision	0.823
Recall	0.809
F1-score	0.816
ROC-AUC	0.898

The accuracy of the XGBoost classifier was 81.8% with 982 test records being classified correctly and 218 being misclassified. The precision was 82.3% which means that about 8/10 of the profiles marked for intervention were indeed intervention cases in the synthetic ground truth.




Figure 2. Predictive performance of the XGBoost synthetic demonstration.

The model identified most of the profiles that needed a strategic approach and recall was 80.9%. The F1-score was 81.6%, while the ROC-AUC was 0.898. AUC value is not based on the performance at the default cut-off point (probability threshold 0.50), but rather discrimination over a range of probability threshold values.

.

Additional operational meaning is provided in the confusion matrix. There were 603 real, no-intervention cases of which 499 were correctly classified and 104 cases were false positive. The total number of actual cases were 597 of which 483 were accurately identified and 114 were false negatives




Figure 3. Confusion matrix for strategic workforce intervention classification

A false positive reaction in workforce planning can result in an increase of review activity and/or development intervention when it is not warranted while a false negative reaction can result in a missing review activity and/or development intervention when it is warranted. The number of the two error types is not so vastly different, making it appear the demonstration model is not strongly biased towards a particular class to attain its accuracy. However, the classification threshold might be modified if it is determined that the risk of losing critical workforce(s) is more expensive than undertaking extra reviews as shown in table 5.

Table 5. Ranked XGBoost feature-importance values

Rank	Predictor	Importance
1	SkillGapIndex	0.179
2	RoleCriticality	0.113
3	WorkforceDemandIndex	0.101
4	EngagementScore	0.096
5	WorkloadIndex	0.086
6	PerformanceRating	0.086
7	ProductivityIndex	0.062
8	AbsenceDays	0.059
9	TrainingHours	0.058
10	CompensationPosition	0.048
11	InternalMobility	0.042
12	Age	0.040
13	TenureYears	0.031




Figure 4. Top XGBoost predictors of strategic workforce intervention

According to feature- importance analysis, skill-gap index was the most important feature giving the importance score of 0.179. Role criticality was the next with 0.113, followed by the workforce-demand index with 0.101, engagement, workload and performance rating, with 0.096, 0.086 and 0.086 respectively. Additional predictive information provided were productivity, absence, training, compensation position, internal mobility, age and tenure. These values reflect the core tenet of sustainable workforce planning – that headcount is not enough – and that capability gaps, future need, employee experience and importance of the role should all be taken into account as shown in figure 4.




Figure 5. Receiver operating characteristic curve for the XGBoost model

The model thus illustrates how the indicators can be used as tools to help prioritize workforce risks. The results indicate a good method validation, but should be considered in the context of this study. These come from synthetic data in which relationships were intentionally designed to be similar to that of workplace planning logic. Hence the reported values of metrics cannot be said to be expected performance in a real organisation. Their utility is to show an XGBoost workflow that could be reproduced and to set benchmarks to compare with empirical data in an actual, ethically controlled workforce in later stages. This ensures an understandable "baseline" in which to test the method before using it in a real environment for workforce-planning use as shown in figure 5.

5. CONCLUSION

This research introduces an AI-powered strategic workforce planning model (XGBoost with Python) in Jupyter Notebook. The method combines information on the demand for the different workforces, skill gaps, criticality of roles, engagement, workload, performance, training, productivity and related indicators, to create a profile of workers that need strategic intervention. The model performed well with an accuracy of 81.8% and an F1 score of 81.6% in the synthetic demonstration that was captured in the reproducible material.The model's accuracy was 81.8%, its F1 score was 81.6%, and its ROC-AUC was 0.898 in the synthetic demonstration captured in the reproducible material. The skill gap and critical roles were also key predictive signals, as indicated by feature importance.The feature importance also highlighted the skill gap and critical roles as key predictive signals. It transforms these forecasts into human-validated interventions like reskilling, retention, recruitment, succession and redeployment, which connect AI analytics to sustainable workforce readiness. The numbers in the results are illustrative only, they do not provide evidence of organization. Synthetic records need to be replaced with longitudinal multi-organization data for future empirical research; fairness across relevant groups needs to be assessed; predictions need to be validated over time; and the impact of AI-assisted decision making on the ability to retain employees, prepare to work, enhance productivity, build resilience, and ensure sustainable organizational growth across various contexts should be examined.

REFERENCES

1. McIver, D., Lengnick-Hall, M. L., &Lengnick-Hall, C. A. (2018). A strategic approach to workforce analytics: Integrating science and agility. Business Horizons, 61(3), 397–407. https://doi.org/10.1016/j.bushor.2018.01.005
2. Tambe, P., Cappelli, P., &Yakubovich, V. (2019). Artificial intelligence in human resources management: Challenges and a path forward. California Management Review, 61(4), 15–42. https://doi.org/10.1177/0008125619867910
3. Pessach, D., Singer, G., Avrahami, D., Chalutz Ben-Gal, H., Shmueli, E., & Ben-Gal, I. (2020). Employees recruitment: A prescriptive analytics approach via machine learning and mathematical programming. Decision Support Systems, 134, 113290. https://doi.org/10.1016/j.dss.2020.113290
4. Vrontis, D., Christofi, M., Pereira, V., Tarba, S., Makrides, A., & Trichina, E. (2021). Artificial intelligence, robotics, advanced technologies and human resource management: A systematic review. The International Journal of Human Resource Management. https://doi.org/10.1080/09585192.2020.1871398
5. McCartney, S., & Fu, N. (2022). Bridging the gap: Why, how and when HR analytics can impact organizational performance. Management Decision, 60(13), 25–47. https://doi.org/10.1108/MD-12-2020-1581
6. Bossi, F., Di Gruttola, F., Mastrogiorgio, A., D'Arcangelo, S., Lattanzi, N., Malizia, A. P., &Ricciardi, E. (2022). Estimating successful internal mobility: A comparison between structural equation models and machine learning algorithms. Frontiers in Artificial Intelligence, 5, 848015. https://doi.org/10.3389/frai.2022.848015
7. Coolen, P., van den Heuvel, S., Van De Voorde, K., &Paauwe, J. (2023). Understanding the adoption and institutionalization of workforce analytics: A systematic literature review and research agenda. Human Resource Management Review, 33, 100985. https://doi.org/10.1016/j.hrmr.2023.100985
8. Yoon, S. W., Han, S.-h., &Chae, C. (2024). People analytics and human resource development – Research landscape and future needs based on bibliometrics and scoping review. Human Resource Development Review, 23(1), 30–57. https://doi.org/10.1177/15344843231209362
9. Venugopala, M., Madhavana, V., Prasada, R., & Raman, R. (2024). Transformative AI in human resource management: Enhancing workforce planning with topic modeling. Cogent Business & Management, Article 2432550.
10. https://doi.org/10.1080/23311975.2024.2432550
11. Chen, T., &Guestrin, C. (2016). XGBoost: A scalable tree boosting system. Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, 785–794.
12. https://doi.org/10.1145/2939672.2939785
13. J. Ankam, "Embedding Generation as a First-Class ETL Stage: Rethinking Pipeline DAGs for Multimodal AI," SSRN Electronic Journal, 2025. doi:
14. 10.2139/ssrn.7323298.
15. M. R. Konatham, D. P. Uddandarao, R. K. Vadlamani, and S. K. R. Konatham, "Federated learning for credit risk assessment in distributed financial systems using BayesShield with homomorphic encryption," in Proc. 2025 Int. Conf. Computing Technologies & Data Communication (ICCTDC), 2025, pp. 1–6, doi: 10.1109/ICCTDC64446.2025.11158863.
16. J. Ankam, "Consent-Aware Data Pipelines: Tracking Training Data Provenance for Generative AI Compliance," SSRN Electronic Journal, 2024. doi: 10.2139/ssrn.7323260.
17. A. S. Mahajan, R. Devani, and D. P. Uddandarao, "Predictive Bayesian models for measuring marketing campaign impact," in Proc. 2025 Int. Conf. Computational Engineering, Sensing Technology and Management (ICCETM), 2025, pp. 1–6, doi: 10.1109/ICCETM66557.2025.11557686.
18. J. Ankam, "Retrieval-Ready Pipelines:
19. Benchmarking Chunking and Embedding Strategies for Enterprise RAG," SSRN Electronic Journal, 2023. doi: 10.2139/ssrn.7323278.
20. D. P. Uddandarao, Statistics and the Science of Causal Economics: A New Paradigm for Data Science. Deep Science Publishing, 2026, doi: 10.70593/978-93-7185-895-3.
21. S. Shaik, "Proactive incident response measures—From threat hunting to mitigation," Journal of Artificial

23. Intelligence, Machine Learning and Data Science, vol. 3, no. 1, pp. 2077–2080, 2025, doi: 10.51219/JAIMLD/sabeeruddin-shaik/456.
24. J. Ankam, “Federated Governance Without Central Bottlenecks: A Policy Propagation Model for Data Mesh,” SSRN Electronic Journal, 2022. doi: 10.2139/ssrn.7323259.
25. D. P. Uddandarao, M. R. Konatham, and R. K. Vadlamani, "Robust and scalable statistical models for high-dimensional marketing data applications: A comprehensive review," in Proc. 2025 5th Int. Conf. Emerging Research in Electronics, Computer Science and Technology (ICERECT), 2025, pp. 1–8, doi: 10.1109/ICERECT65215.2025.11377070.
26. J. Ankam, “ACID-Lake: A Metadata-Driven Concurrency Control Protocol for Multi-Writer Transactions on Object Storage,” SSRN Electronic Journal, 2021. doi: 10.2139/ssrn.7323258.
27. D. P. Uddandarao and A. Mahajan, "Counterfactual supply chain scenario analysis using causal Bayesian networks: A double machine learning approach to fulfillment center capacity allocation," Int. J. Adv. Signal Image Sci., pp. 34–46, 2023.
28. J. Ankam, “Benchmarking Autonomy: A Taxonomy of Human-in-the-Loop Checkpoints for AI-Generated Transformation Code,” International Journal of Computational and Experimental Science and Engineering, vol. 8, no. 3, 2022. doi:
29. 10.22399/ijcesen.5462.
30. B. Singh, M. Najana, S. Prabhat, N. Sharma, V. Penumarthi, and P. Ranjan, “Zero trust architectures in cloud networks: Enhancing security across global enterprises,” in Proc. 2025 Int. Conf. Business Intelligence for Technology Innovation (ICBITI), 2025, pp. 1–8, doi:
31. 10.1109/ICBITI65527.2025.11501010
32. J. Ankam, “Contracts Across Modalities: Detecting Embedding Staleness and Governance Drift in Multimodal Lakehouse Architectures,” International Journal of Computational and Experimental Science and Engineering, vol. 10, no. 1, 2024. doi:
33. 10.22399/ijcesen.5469.
34. P. Nagarathna, D. D. Mhetre, S. Prabhat, L. Gudala, and R. M., “Dependency-aware task offloading using Lion optimization with short- and long-term memory in cloud-fog-edge environments,” in Proc. 2025 2nd Int. Conf. Software, Systems and Information Technology (SSITCON), 2025, doi:
35. 10.1109/SSITCON66133.2025.11342276
36. S. Shaik, “Strengthening insider threat monitoring post Covid-19: Strategies and tools,” ESP International Journal of Advancements in Computational Technology, vol. 1, no. 2, pp. 149–152, 2023, doi: 10.56472/25838628/IJACT-
37. V1I2P116.
38. S. Chaudhari, A. D. Jagdale, S. Prabhat, M. Najana, S. K. Choudhary, and P. Ranjan, “Enhancing security in event-driven architectures: Threat detection and mitigation strategies,” in Proc. 2025 Int. Conf. Business Intelligence for Technology Innovation (ICBITI), 2025, pp. 1–8, doi:
39. 10.1109/ICBITI65527.2025.11501104.
40. S. Shaik, “CLEVER: Enhancing cybersecurity through just-in-time fault prevention and resolution in large industrial software systems,” in 2025 International Conference on Computational Innovations and Engineering Sustainability (ICCIES), IEEE, 2025, doi: 10.1109/ICCIES63851.2025.11033146.
41. S. Shaik, “Data encryption paradigms in cloud security: Balancing performance and security,” Journal of Artificial Intelligence & Cloud Computing, vol. 3, no. 3, pp. 1–3, 2024, doi:
42. 10.47363/JAICC/2024(3)E251.
43. M. Mavuri, S. Chakrabarty, U. Rathod, and D. Sarda, “Geospatial Analysis Using Transformer on TOAR and Meteorological Data for Early Warning of Particulate Matter Exceedance,” in Proc. 2025 IEEE Int. Conf. Bioinformatics and Biomedicine (BIBM), 2025, pp. 7036–7043, doi:
44. 10.1109/BIBM66473.2025.11357016.
45. S. Shaik, “Cyber security risk assessments under NIST CSF: A practical approach,” Journal of Artificial Intelligence & Cloud Computing, vol. 3, no. 4, pp. 1–
46. 4, 2024, doi: 10.47363/JAICC/2024(3)E256.
47. M. Mavuri and S. Chakrabarty, “Geospatial Analysis of Socioeconomic Equity and Environmental Factors Influencing Lung Cancer Prevalence in US,” in Proc. 2024 IEEE Int. Conf. Bioinformatics and Biomedicine (BIBM), 2024, pp. 6597–6604, doi:
48. 10.1109/BIBM62325.2024.10822373.
49. S. Shaik, “Identity and access management (IAM): Strengthening security in hybrid work environments,” Journal of Artificial Intelligence & Cloud Computing, vol. 3, no. 5, pp. 1–3, 2024, doi:
50. 10.47363/JAICC/2024(3)E248.